

Page 1 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.05.2021 / 0015 Replacing version dated / version: 29.07.2019 / 0014 Valid from: 17.05.2021 PDF print date: 17.05.2021 Viscoplus for Oil

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Viscoplus for Oil

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Additives

അ

Sector of use [SU]:

SU 3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

SU21 - Consumer uses: Private households (=general public = consumers)

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]:

PC17 - Hydraulic fluids

PC24 - Lubricants, greases, release products

Process category [PROC]:

PROC 1 - Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions. PROC 2 - Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions.

PROC 8a - Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC 8b - Transfer of substance or mixture (charging and discharging) at dedicated facilities

PROC 9 - Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC20 - Use of functional fluids in small devices

Article Categories [AC]:

AC99 - Not required.

Environmental Release Category [ERC]: ERC 4 - Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

ERC 7 - Use of functional fluid at industrial site

ERC 9a - Widespread use of functional fluid (indoor)

ERC 9b - Widespread use of functional fluid (indeor)

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH Jerg-Wieland-Str. 4 89081 Ulm-Lehr Tel.: (+49) 0731-1420-0 Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture



Page 2 of 14

œ

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.05.2021 / 0015 Replacing version dated / version: 29.07.2019 / 0014 Valid from: 17.05.2021 PDF print date: 17.05.2021 Viscoplus for Oil

Classification according to Regulation (EC) 1272/2008 (CLP)

The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements Labeling according to Regulation (EC) 1272/2008 (CLP)

EUH210-Safety data sheet available on request.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a. 3.2 Mixtures

| Distillates (petroleum), hydrotreated heavy paraffinic | |
|--|-----------------------|
| Registration number (REACH) | 01-2119484627-25-XXXX |
| Index | 649-467-00-8 |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 265-157-1 |
| CAS | 64742-54-7 |
| content % | <10 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Asp. Tox. 1, H304 |
| | |
| Distillates (petroleum), solvent-dewaxed heavy paraffinic | |
| Registration number (REACH) | 01-2119471299-27-XXXX |
| Index | 649-474-00-6 |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 265-169-7 |
| CAS | 64742-65-0 |
| content % | <10 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Asp. Tox. 1, H304 |
| | |
| Distillates (petroleum), solvent-dewaxed light paraffinic | |
| Registration number (REACH) | 01-2119480132-48-XXXX |
| Index | 649-469-00-9 |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 265-159-2 |
| CAS | 64742-56-9 |
| content % | <10 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Asp. Tox. 1, H304 |
| | |

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected! Never pour anything into the mouth of an unconscious person!

Inhalation

Remove person from danger area.



Page 3 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.05.2021 / 0015 Replacing version dated / version: 29.07.2019 / 0014 Valid from: 17.05.2021 PDF print date: 17.05.2021 Viscoplus for Oil

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

ആ

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting - give copious water to drink. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours. The following may occur: Irritation of the eyes Product removes fat. Drying of the skin. Dermatitis (skin inflammation) **4.3 Indication of any immediate medical attention and special treatment needed**

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

CO2 Foam

Dry extinguisher

Unsuitable extinguishing media

High volume water jet **5.2 Special hazards arising from the substance or mixture** In case of fire the following can develop: Oxides of carbon

Hydrocarbons Toxic pyrolysis products. Hot product gives off combustible vapours.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary. Cool container at risk with water. Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air. Remove possible causes of ignition - do not smoke. Avoid formation of oil mist. Avoid contact with eyes or skin. If applicable, caution - risk of slipping.

6.2 Environmental precautions

If leakage occurs, dam up. Resolve leaks if this possible without risk. Prevent from entering drainage system. Prevent surface and ground-water infiltration, as well as ground penetration. If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up



Page 4 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.05.2021 / 0015 Replacing version dated / version: 29.07.2019 / 0014 Valid from: 17.05.2021 PDF print date: 17.05.2021 Viscoplus for Oil

Soak up with absorbent material (e.g. universal binding agent) and dispose of according to Section 13. **6.4 Reference to other sections**

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

œ

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin. Do not carry cleaning cloths soaked in product in trouser pockets.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Do not heat to temperatures close to flash point.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells. Store product closed and only in original packing. Solvent resistant floor Do not store with oxidizing agents. Protect from direct sunlight and warming.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Chemical Name Oil mist, mineral | | Content %: |
|--|------------------------------------|------------|
| WEL-TWA: 5 mg/m3 (Mineral oil, excluding metal | WEL-STEL: | |
| working fluids, ACGIH) | | |
| Monitoring procedures: - I | Draeger - Oil Mist 1/a (67 33 031) | |
| BMGV: | Other information: | |

| Distillates (petroleum), hydrotreated heavy paraffinic | | | | | | | | | | | | |
|--|----------------------------|--------------------------|------------|-------|-------|------|--|--|--|--|--|--|
| Area of application | Exposure route / | Effect on health | Descriptor | Value | Unit | Note | | | | | | |
| | Environmental | | | | | | | | | | | |
| | compartment | | | | | | | | | | | |
| | Environment - oral (animal | | PNEC | 9,33 | mg/kg | | | | | | | |
| | feed) | | | | | | | | | | | |
| Consumer | Human - inhalation | Long term, local effects | DNEL | 1,2 | mg/m3 | 24h | | | | | | |
| Workers / employees | Human - inhalation | Long term, local effects | DNEL | 5,58 | mg/m3 | 8h | | | | | | |

| Distillates (petroleum), solvent-dewaxed heavy paraffinic | | | | | | | | | | | | |
|---|----------------------------|--------------------------|------------|-------|------------|------|--|--|--|--|--|--|
| Area of application | Exposure route / | Effect on health | Descriptor | Value | Unit | Note | | | | | | |
| | Environmental | | | | | | | | | | | |
| | compartment | | | | | | | | | | | |
| | Environment - oral (animal | | PNEC | 9,33 | mg/kg feed | | | | | | | |
| | feed) | | | | | | | | | | | |
| Consumer | Human - inhalation | Long term, local effects | DNEL | 1,2 | mg/m3 | | | | | | | |
| Workers / employees | Human - inhalation | Long term, local effects | DNEL | 5,4 | mg/m3 | | | | | | | |
| | | | | | | | | | | | | |



Page 5 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.05.2021 / 0015 Replacing version dated / version: 29.07.2019 / 0014 Valid from: 17.05.2021 PDF print date: 17.05.2021 Viscoplus for Oil

ആ

| Distillates (petroleum), hydrotreated heavy paraffinic | | | | | | | | | | | |
|--|--|---------------|------|------|-------|--|--|--|--|--|--|
| Area of application | Exposure route / Environmental compartment | Environmental | | | | | | | | | |
| | Environment - oral (animal feed) | | PNEC | 9,33 | mg/kg | | | | | | |

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU), 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision. (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause

sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Protective gloves, oil resistant (EN 374). If applicable Protective nitrile gloves (EN 374). Protective Neoprene® / polychloroprene gloves (EN 374). Protective PVC gloves (EN 374). Minimum layer thickness in mm: 0,5 Permeation time (penetration time) in minutes: 480

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary. If OES or MEL is exceeded. Filter A2 P2 (EN 14387), code colour brown, white



Page 6 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.05.2021 / 0015 Replacing version dated / version: 29.07.2019 / 0014 Valid from: 17.05.2021 PDF print date: 17.05.2021 Viscoplus for Oil

Observe wearing time limitations for respiratory protection equipment.

Thermal hazards: Not applicable

ആ

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical state: | Liquid |
|--|---------------------|
| Colour: | Orange, Clear |
| Odour: | Characteristic |
| Odour threshold: | Not determined |
| pH-value: | Not determined |
| Melting point/freezing point: | Not determined |
| Initial boiling point and boiling range: | Not determined |
| Flash point: | 101 °C |
| Evaporation rate: | Not determined |
| Flammability (solid, gas): | Not determined |
| Lower explosive limit: | Not determined |
| Upper explosive limit: | Not determined |
| Vapour pressure: | Not determined |
| Vapour density (air = 1): | Not determined |
| Density: | 0,891 g/cm3 (20°C) |
| Bulk density: | Not determined |
| Solubility(ies): | Not determined |
| Water solubility: | Insoluble |
| Partition coefficient (n-octanol/water): | Not determined |
| Auto-ignition temperature: | Not determined |
| Decomposition temperature: | Not determined |
| Viscosity: | 315,86 mm2/s (40°C) |
| Explosive properties: | Not determined |
| Oxidising properties: | Not determined |
| 9.2 Other information | |
| Miscibility: | Not determined |
| Fat solubility / solvent: | Not determined |
| Conductivity: | Not determined |
| Surface tension: | Not determined |
| Solvents content: | Not determined |
| | |

SECTION 10: Stability and reactivity

10.1 Reactivity
The product has not been tested.

10.2 Chemical stability
Stable with proper storage and handling.

10.3 Possibility of hazardous reactions
No dangerous reactions are known.

10.4 Conditions to avoid
See also section 7.



Page 7 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.05.2021 / 0015 Replacing version dated / version: 29.07.2019 / 0014 Valid from: 17.05.2021 PDF print date: 17.05.2021 Viscoplus for Oil

œ)

Strong heat 10.5 Incompatible materials See also section 7.

Avoid contact with strong oxidizing agents.

10.6 Hazardous decomposition products

See also section 5.2 No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification). Viscoplus for Oil

| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|----------------------------------|----------|-------|------|----------|-------------|--------|
| Acute toxicity, by oral route: | | | | | | n.d.a. |
| Acute toxicity, by dermal route: | | | | | | n.d.a. |
| Acute toxicity, by inhalation: | | | | | | n.d.a. |
| Skin corrosion/irritation: | | | | | | n.d.a. |
| Serious eye damage/irritation: | | | | | | n.d.a. |
| Respiratory or skin | | | | | | n.d.a. |
| sensitisation: | | | | | | |
| Germ cell mutagenicity: | | | | | | n.d.a. |
| Carcinogenicity: | | | | | | n.d.a. |
| Reproductive toxicity: | | | | | | n.d.a. |
| Specific target organ toxicity - | | | | | | n.d.a. |
| single exposure (STOT-SE): | | | | | | |
| Specific target organ toxicity - | | | | | | n.d.a. |
| repeated exposure (STOT-RE): | | | | | | |
| Aspiration hazard: | | | | | | n.d.a. |
| Symptoms: | | | | | | n.d.a. |

| Distillates (petroleum), hydrotreated heavy paraffinic | | | | | | | | | | | |
|--|----------|-------|---------|-------------|--|-------------------------|--|--|--|--|--|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes | | | | | |
| Acute toxicity, by oral route: | LD50 | >5000 | mg/kg | Rat | OECD 420 (Acute Oral toxicity - Fixe Dose | Analogous conclusion | | | | | |
| | | | | | Procedure) | CONClusion | | | | | |
| Acute toxicity, by dermal route: | LD50 | >5000 | mg/kg | Rabbit | OECD 402 (Acute | Analogous | | | | | |
| | 1.050 | | | | Dermal Toxicity) | conclusion | | | | | |
| Acute toxicity, by inhalation: | LC50 | 5,53 | mg/l/4h | Rat | OECD 403 (Acute Inhalation Toxicity) | Aerosol | | | | | |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute | Not irritant, | | | | | |
| | | | | | Dermal | Analogous | | | | | |
| | | | | | Irritation/Corrosion) | conclusion | | | | | |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye | Not irritant, | | | | | |
| | | | | | Irritation/Corrosion) | Analogous | | | | | |
| | | | | | | conclusion | | | | | |
| Respiratory or skin | | | | Guinea pig | OECD 406 (Skin | No (skin | | | | | |
| sensitisation: | | | | | Sensitisation) | contact), | | | | | |
| | | | | | | Analogous | | | | | |
| | | | | | | conclusion | | | | | |
| Germ cell mutagenicity: | | | | Salmonella | OECD 471 (Bacterial | Negative, | | | | | |
| | | | | typhimurium | Reverse Mutation Test) | Analogous | | | | | |
| | | | | | | conclusion | | | | | |
| Germ cell mutagenicity: | | | | Mammalian | OECD 473 (In Vitro | Negative, | | | | | |
| | | | | | Mammalian | Analogous | | | | | |
| | | | | | Chromosome | conclusion | | | | | |
| | | | | | Aberration Test) | | | | | | |
| Germ cell mutagenicity: | | | | Mouse | OECD 476 (In Vitro | Negative, | | | | | |
| | | | | | Mammalian Cell Gene | Analogous | | | | | |
| | | | | | Mutation Test) | conclusion | | | | | |
| Germ cell mutagenicity: | | | | Mouse | OECD 474 (Mammalian | Negative, | | | | | |
| | | | | | Erythrocyte | Analogous | | | | | |
| | | | | | Micronucleus Test) | conclusion | | | | | |



B Page 8 of 14

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.05.2021 / 0015 Replacing version dated / version: 29.07.2019 / 0014 Valid from: 17.05.2021 PDF print date: 17.05.2021 Viscoplus for Oil

| Carcinogenicity: | | | | Mouse | OECD 451 | Negative, |
|----------------------------------|-------|------|-------|--------|---------------------------|-------------|
| | | | | | (Carcinogenicity Studies) | Analogous |
| | | | | | | conclusion |
| Reproductive toxicity: | | | | Rat | OECD 421 | Negative, |
| | | | | | (Reproduction/Developm | Analogous |
| | | | | | ental Toxicity Screening | conclusion |
| | | | | | Test) | |
| Reproductive toxicity | | | | Rat | OECD 414 (Prenatal | Negative, |
| (Developmental toxicity): | | | | | Developmental Toxicity | Analogous |
| | | | | | Study) | conclusion |
| Aspiration hazard: | | | | | | Yes |
| Specific target organ toxicity - | LOAEL | 125 | mg/kg | Rat | OECD 408 (Repeated | Analogous |
| repeated exposure (STOT-RE), | | | | | Dose 90-Day Oral | conclusion |
| oral: | | | | | Toxicity Study in | |
| | | | | | Rodents) | |
| Specific target organ toxicity - | NOAEL | 1000 | mg/kg | Rabbit | OECD 410 (Repeated | Analogous |
| repeated exposure (STOT-RE), | | | | | Dose Dermal Toxicity - | conclusion |
| dermal: | | | | | 90-Day) | |
| Specific target organ toxicity - | NOAEL | 0,22 | mg/l | Rat | | Dust, Mist, |
| repeated exposure (STOT-RE), | | | | | | Analogous |
| inhalat.: | | | | | | conclusion |

| Distillates (petroleum), solvent Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
|--|----------|-------|---------|--------------|--|--|
| | | | | | | Notes |
| Acute toxicity, by oral route: | LD50 | >5000 | mg/kg | Rat | OECD 401 (Acute Oral Toxicity) | |
| Acute toxicity, by dermal route: | LD50 | >5000 | mg/kg | Rabbit | OECD 402 (Acute Dermal Toxicity) | |
| Acute toxicity, by inhalation: | LD50 | >5,53 | mg/l/4h | Rat | OECD 403 (Acute Inhalation Toxicity) | Aerosol |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute | Not irritant, |
| | | | | | Dermal | Analogous |
| | | | | | Irritation/Corrosion) | conclusion |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Not irritant, Analogous conclusion |
| Respiratory or skin | | | | Guinea pig | OECD 406 (Skin | No (skin |
| sensitisation: | | | | | Sensitisation) | contact). |
| | | | | | , | Analogous |
| | | | | | | conclusion |
| Germ cell mutagenicity: | | | | Mammalian | OECD 474 (Mammalian Erythrocyte Micronucleus Test) | Negative |
| Germ cell mutagenicity: | | | | Mammalian | OECD 473 (In Vitro | Negative, |
| Contracting of the contracting o | | | | Indiminalian | Mammalian | Analogous |
| | | | | | Chromosome | conclusion |
| | | | | | Aberration Test) | Contraction |
| Germ cell mutagenicity: | | | | Salmonella | OECD 471 (Bacterial | Negative, |
| 5 , | | | | typhimurium | Reverse Mutation Test) | Analogous conclusion |
| Carcinogenicity: | | | | Mouse | OECD 451 | Negative, |
| 5 7 | | | | | (Carcinogenicity Studies) | Analogous |
| | | | | | | conclusion |
| Carcinogenicity: | | | | Mouse | | Female, Negativ |
| Reproductive toxicity: | | | | Rat | | Negative |
| Reproductive toxicity | | | | Rat | OECD 414 (Prenatal | Negative, |
| (Developmental toxicity): | | | | | Developmental Toxicity | Analogous |
| | | | | | Study) | conclusion |
| Reproductive toxicity (Effects | | | | Rat | OECD 421 | Negative, |
| on fertility): | | | | | (Reproduction/Developm | Analogous |
| <i></i> | | | | | ental Toxicity Screening Test) | conclusion |
| Aspiration hazard: | | | | | 1650 | Yes |
| Aspiration nazaru. | | | | | | 165 |



| -@B | | | | | | | |
|--|-----------------|-------------|-------------------|-----------------|------------------|---|--|
| Page 9 of 14 Safety data sheet accordir Revision date / version: 17 Replacing version dated / Valid from: 17.05.2021 | .05.2021 / 0015 | | 7/2006, An | nex II | | | |
| PDF print date: 17.05.202 | 1 | | | | | | |
| Viscoplus for Oil | | | | | | | |
| Symptoms: | | | | | | | mucous |
| | | | | | | | membrane irritation, |
| | | | | | | | dizziness, nausea |
| Specific target organ toxici | | ~100 | 0 | mg/kg | Rabbit | OECD 410 (Repeated | Analogous |
| repeated exposure (STOT dermal: | -RE), | | | bw/d | | Dose Dermal Toxicity - 90-Day) | conclusion |
| Distillates (petroleum), s | olvent-dewaxed | light paraf | linic | | | | |
| Toxicity / effect | Endpoir | | | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route | e: LD50 | >500 | 0 | mg/kg | Rat | OECD 401 (Acute Oral Toxicity) | |
| Acute toxicity, by dermal ro | oute: LD50 | >500 | 0 | mg/kg | Rabbit | OECD 402 (Acute Dermal Toxicity) | |
| Acute toxicity, by inhalation | n: LC50 | >5,53 | 3 | mg/l | Rat | OECD 403 (Acute Inhalation Toxicity) | Mist |
| Skin corrosion/irritation: | iani | | | | Rabbit Rabbit | | Not irritant Not irritant |
| Serious eye damage/irritat Respiratory or skin | | | | | Guinea pig | | No (skin contact) |
| sensitisation: | | | | | Mammalian | | Negotivo |
| Germ cell mutagenicity: Germ cell mutagenicity: | | | | | | OECD 474 (Mammalian Erythrocyte Micronucleus Test) OECD 471 (Bacterial | Negative Negative |
| Germ cen mutagenicity. | | | | | | Reverse Mutation Test) | Negalive |
| Germ cell mutagenicity: | | | | | | OECD 473 (In Vitro Mammalian | Negative |
| | | | | | | Chromosome Aberration Test) | |
| Germ cell mutagenicity: | | | | | | OECD 476 (In Vitro | Negative |
| | | | | | | Mammalian Cell Gene Mutation Test) | |
| Carcinogenicity: Reproductive toxicity: | NOAEL | >200 | 0 | mg/kg | Mouse Rat | OECD 414 (Prenatal | Female, Negative |
| Reproductive toxicity. | NOALL | >200 | 0 | bw/d | T di | Developmental Toxicity Study) | |
| Reproductive toxicity: | NOAEL | >100 | 0 | mg/kg | Rat | OECD 421 | |
| | | | | bw/d | | (Reproduction/Developm ental Toxicity Screening | |
| Aspiration hazard: | | | | | | Test) | Yes |
| Symptoms: | | | | | | | drying of the |
| | | | | | | | skin., vomiting, nausea |
| | | SECTIC |)N 12· I | - Cologie | al informat | ion | |
| | | | // . 12. L | | | | |
| Possibly more information Viscoplus for Oil | on environmenta | effects, se | e Section 2 | 2.1 (classifica | ation). | | |
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to fish: 12.1. Toxicity to daphnia: | | | | | | | n.d.a. n.d.a. |
| 12.1. Toxicity to algae: | | | | | | | n.d.a. |
| 12.2. Persistence and degradability: | | | | | | | Isolate as much as possible with an oil separator. |
| 12.3. Bioaccumulative potential: | | | | | | | n.d.a. |
| 12.4. Mobility in soil: | | | | | | | n.d.a. |
| 12.5. Results of PBT and vPvB assessment | | | | | | | n.d.a. |
| | | | | | | | |



| Safety data sheet accordir Revision date / version: 17 Replacing version dated / Valid from: 17.05.2021 PDF print date: 17.05.202 Viscoplus for Oil | 7.05.2021 / 0015 version: 29.07.20 | | | nex II | | | |
|--|---------------------------------------|------------------|-------------------|--------------|---|--|--|
| 12.6. Other adverse effects: | | | | | | | n.d.a. |
| Other information: | | | | | | | According to the recipe, contains no AOX. |
| Other information: | | | | | | | DOC-eliminatior degree(complex ng organic substance)>= 80%/28d: No |
| Distillates (petroleum), h | | | nic | 1 | | | |
| Toxicity / effect 12.5. Results of PBT and vPvB assessment | Endpoint | Time | Value | Unit | Organism | Test method | Notes No PBT substance, No vPvB substance |
| 12.3. Bioaccumulative potential: | Log Pow | | 3,9-6 | | | | High |
| 12.1. Toxicity to fish: | LL50 | 96h | >100 | mg/l | Oncorhynchus mykiss | OECD 203 (Fish, Acute Toxicity Test) | Analogous conclusion |
| 12.1. Toxicity to fish: | NOEC/NOEL | 28d | >1000 | mg/l | Oncorhynchus mykiss | QSAR | |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | 10 | mg/l | Daphnia magna | QSAR | Analogous conclusion |
| 12.1. Toxicity to daphnia: | EL50 | 48h | >1000 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | Analogous conclusion |
| 12.1. Toxicity to algae: | EL50 | 48h | >100 | mg/l | Pseudokirchneriell a subcapitata | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.1. Toxicity to algae: | NOEC/NOEL | 72h | >=100 | mg/l | Pseudokirchneriell a subcapitata | OECD 201 (Alga, Growth Inhibition Test) | Analogous conclusion |
| 12.2. Persistence and degradability: | | 28d | 31 | % | activated sludge | OECD 301 F (Ready Biodegradability - Manometric Respirometry Test) | Not readily biodegradable, Analogous conclusion |
| 12.2. Persistence and degradability: | | 28d | 6 | % | | OECD 301 B (Ready Biodegradability - Co2 Evolution Test) | |
| Other information: | AOX | | 0 | % | | | |
| Distillates (petroleum), s Toxicity / effect | olvent-dewaxed Endpoint | heavy pa Time | raffinic Value | Unit | Organism | Test method | Notes |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |
| 12.1. Toxicity to fish: | LC50 | 96h | >100 | mg/l | Pimephales promelas | OECD 203 (Fish, Acute Toxicity Test) | Analogous conclusion |
| 12.1. Toxicity to fish: | NOEC/NOEL | 14d | 1000 | mg/l | Oncorhynchus mykiss | QSÁR | |
| 12.1. Toxicity to fish: 12.1. Toxicity to fish: | LC50 LC50 | 96h 96h | >1000 >5000 | mg/l mg/l | Salmo gairdneri Oncorhynchus mykiss | OECD 203 (Fish, Acute Toxicity Test) | |



Page 11 of 14

(GB)·

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.05.2021 / 0015 Replacing version dated / version: 29.07.2019 / 0014 Valid from: 17.05.2021 PDF print date: 17.05.2021 Viscoplus for Oil

| 12.1. Toxicity to daphnia: | EC50 | 48h | >1000 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation | Analogous conclusion |
|--------------------------------------|---------|-----|-------|------|----------------------------|--|---|
| 12.1. Toxicity to algae: | EC50 | 96h | >1000 | mg/l | Scenedesmus subspicatus | Test) | |
| 12.2. Persistence and degradability: | | 28d | 6 | % | | OECD 301 B (Ready Biodegradability - Co2 Evolution Test) | Analogous conclusion |
| 12.2. Persistence and degradability: | | 28d | 31 | % | activated sludge | OECD 301 F (Ready Biodegradability - Manometric Respirometry Test) | Not readily biodegradable (Analogous conclusion) |
| 12.3. Bioaccumulative potential: | Log Pow | | >3 | | | | Low |
| Toxicity to bacteria: | EC20 | 6h | >1000 | mg/l | Pseudomonas fluorescens | | |

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|---|--------------|------|--------|------|--------------------|--------------------------------------|---------------|
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | 10 | mg/l | Daphnia magna | OECD 211 | |
| | | | | | | (Daphnia magna Reproduction Test) | |
| 12.1. Toxicity to fish: | LL50 | 96h | >100 | mg/l | Pimephales | OECD 203 (Fish, | |
| | | | | | promelas | Acute Toxicity | |
| | FI 50 | 401- | 40000 | | Denhais areas | Test) | |
| 12.1. Toxicity to daphnia: | EL50 | 48h | >10000 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. | |
| | | | | | | Acute | |
| | | | | | | Immobilisation | |
| | | | | | | Test) | |
| 12.1. Toxicity to daphnia: | LL50 | 48h | >1000 | mg/l | Gammarus sp. | OECD 202 | |
| | | | | | | (Daphnia sp. | |
| | | | | | | Acute Immobilisation | |
| | | | | | | Test) | |
| 12.1. Toxicity to algae: | NOEC/NOEL | 72h | >100 | mg/l | Pseudokirchneriell | OECD 201 (Alga, | |
| | | | | | a subcapitata | Growth Inhibition | |
| | | | | | | Test) | |
| 12.2. Persistence and degradability: | | | | | | | Inherent |
| 12.3. Bioaccumulative potential: | Log Pow | | >3 | | | | Low |
| 12.5. Results of PBT | | | | | | | No PBT |
| and vPvB assessment | | | | | | | substance, No |
| | | | | | | | vPvB substanc |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

Soaked polluted cloths, paper or other organic materials represent a fire hazard and should be controlled, collected and disposed of. EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

13 02 05 mineral-based non-chlorinated engine, gear and lubricating oils

Recommendation:



Page 12 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.05.2021 / 0015 Replacing version dated / version: 29.07.2019 / 0014 Valid from: 17.05.2021 PDF print date: 17.05.2021 Viscoplus for Oil

Sewage disposal shall be discouraged. Pay attention to local and national official regulations. Implement substance recycling. E.g. suitable incineration plant.

GB

For contaminated packing material

Pay attention to local and national official regulations. Empty container completely. Uncontaminated packaging can be recycled. Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

| General statements | |
|--|--|
| 14.1. UN number: | n.a. |
| Transport by road/by rail (ADR/RID) | |
| 14.2. UN proper shipping name: | |
| 14.3. Transport hazard class(es): | n.a. |
| 14.4. Packing group: | n.a. |
| Classification code: | n.a. |
| LQ: | n.a. |
| 14.5. Environmental hazards: Tunnel restriction code: | Not applicable |
| Transport by sea (IMDG-code) | |
| 14.2. UN proper shipping name: | |
| 14.3. Transport hazard class(es): | n.a. |
| 14.4. Packing group: | n.a. |
| Marine Pollutant: | n.a |
| 14.5. Environmental hazards: | Not applicable |
| Transport by air (IATA) | |
| 14.2. UN proper shipping name: | |
| 14.3. Transport hazard class(es): | n.a. |
| 14.4. Packing group: | n.a. |
| 14.5. Environmental hazards: | Not applicable |
| 14.6. Special precautions for user Unless specified otherwise, general measures for sa 14.7. Transport in bulk according to Non-dangerous material according to Transport Reg | Annex II of MARPOL and the IBC Code |
| SECT | ION 15: Regulatory information |
| 15.1 Safety, health and environment Observe restrictions: General hygiene measures for the handling of chemi | al regulations/legislation specific for the substance or mixture |
| Ceneral hygiene measures for the handling of chemi | cais are applicable. |
| Directive 2010/75/EU (VOC): | 0,19 % |
| 15.2 Chemical safety assessment A chemical safety assessment is not provided for mix | xtures. |
| SE | CTION 16: Other information |
| | |

Revised sections:

3, 8, 9, 11, 12, 15

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP): Not applicable



Page 13 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.05.2021 / 0015 Replacing version dated / version: 29.07.2019 / 0014 Valid from: 17.05.2021 PDF print date: 17.05.2021 Viscoplus for Oil

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H304 May be fatal if swallowed and enters airways.

Asp. Tox. — Aspiration hazard

ആ

Any abbreviations and acronyms used in this document:

according, according to acc., acc. to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAM BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BSEF The International Bromine Council bw body weight CAS **Chemical Abstracts Service** CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level dw dry weight e.g. for example (abbreviation of Latin 'exempli gratia'), for instance ЕČ **European Community** ECHA European Chemicals Agency EEC European Economic Community EINECS European Inventory of Existing Commercial Chemical Substances **ELINCS** European List of Notified Chemical Substances ΕN European Norms EPA United States Environmental Protection Agency (United States of America) et cetera etc. FU **European Union** EVAL Ethylene-vinyl alcohol copolymer Fax. Fax number gen. general GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential International Agency for Research on Cancer IARC IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code) IMDG-code International Maritime Code for Dangerous Goods including, inclusive incl. IUCLID International Uniform Chemical Information Database IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) LQ Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships n.a. not applicable not available n.av. not checked n.c. n.d.a. no data available OECD Organisation for Economic Co-operation and Development org. organic PBT persistent, bioaccumulative and toxic Polyethylene PE PNEC Predicted No Effect Concentration parts per million ppm



Page 14 of 14 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 17.05.2021 / 0015 Replacing version dated / version: 29.07.2019 / 0014 Valid from: 17.05.2021 PDF print date: 17.05.2021 Viscoplus for Oil

PVC Polyvinylchloride

ആ

REACHRegistration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)

REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International

RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC Volatile organic compounds

vPvB very persistent and very bioaccumulative

wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.