

Page 1 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 20.04.2021 / 0026
Replacing version dated / version: 01.04.2021 / 0025
Valid from: 20.04.2021
PDF print date: 20.04.2021
Windshield super-concentrated cleaner

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Windshield super-concentrated cleaner

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:

Window cleaner

Sector of use [SU]:

SU 3 - Industrial uses: Uses of substances as such or in preparations at industrial sites

SU21 - Consumer uses: Private households (=general public = consumers)

SU22 - Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category [PC]:

PC35 - Washing and cleaning products

Process category [PROC]:

PROC 7 - Industrial spraying

PROC 8a - Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC 9 - Transfer of substance or mixture into small containers (dedicated filling line, including weighing)

PROC11 - Non industrial spraying

Article Categories [AC]:

AC99 - Not required.

Environmental Release Category [ERC]:

ERC 4 - Use of non-reactive processing aid at industrial site (no inclusion into or onto article)

ERC 7 - Use of functional fluid at industrial site

ERC 8a - Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)

ERC 8d - Widespread use of non-reactive processing aid (no inclusion into or onto article, outdoor)

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

LIQUI MOLY GmbH

Jerg-Wieland-Str. 4

89081 Ulm-Lehr

Tel.: (+49) 0731-1420-0

Fax: (+49) 0731-1420-88

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (LMR)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

| Hazard class | Hazard category | Hazard statement |
|--------------|-----------------|------------------------------|
| Skin Irrit. | 2 | H315-Causes skin irritation. |

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.04.2021 / 0026

Replacing version dated / version: 01.04.2021 / 0025

Valid from: 20.04.2021

PDF print date: 20.04.2021

Windshield super-concentrated cleaner

| | | |
|------------|---|---|
| Eye Dam. | 1 | H318-Causes serious eye damage. |
| Skin Sens. | 1 | H317-May cause an allergic skin reaction. |

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)



Danger

H315-Causes skin irritation. H318-Causes serious eye damage. H317-May cause an allergic skin reaction.

P101-If medical advice is needed, have product container or label at hand. P102-Keep out of reach of children.

P261-Avoid breathing vapours or spray. P280-Wear protective gloves / eye protection / face protection.

P305+P351+P338-IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310-Immediately call a POISON CENTER / doctor. P333+P313-If skin irritation or rash occurs: Get medical advice / attention.

P501-Dispose of contents / container to an approved waste disposal facility.

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

1,2-benzisothiazol-3(2H)-one

2-methylisothiazol-3(2H)-one

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a.

3.2 Mixtures

| Alcohols, C12-14, ethoxylated, sulfates, sodium salts | |
|--|--|
| Substance with specific conc. limit(s) acc. to REACH-registration. | |
| Registration number (REACH) | 01-2119488639-16-XXXX |
| Index | --- |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 500-234-8 |
| CAS | 68891-38-3 |
| content % | 10-25 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412 |
| Sulfonic acids, C14-17-sec-alkane, sodium salts | |
| Substance with specific conc. limit(s) acc. to REACH-registration. | |
| Registration number (REACH) | 01-2119489924-20-XXXX |
| Index | --- |

Page 3 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 20.04.2021 / 0026
Replacing version dated / version: 01.04.2021 / 0025
Valid from: 20.04.2021
PDF print date: 20.04.2021
Windshield super-concentrated cleaner

| | |
|---|--|
| EINECS, ELINCS, NLP, REACH-IT List-No. | 307-055-2 |
| CAS | 97489-15-1 |
| content % | 1-<10 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412 |

| | |
|---|---|
| Docusate sodium | |
| Registration number (REACH) | 01-2119491296-29-XXXX |
| Index | --- |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 209-406-4 |
| CAS | 577-11-7 |
| content % | 1-<3 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Skin Irrit. 2, H315 Eye Dam. 1, H318 |

| | |
|---|---|
| 1,2-benzisothiazol-3(2H)-one | |
| Registration number (REACH) | --- |
| Index | 613-088-00-6 |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 220-120-9 |
| CAS | 2634-33-5 |
| content % | 0,005-<0,05 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411 |

| | |
|---|---|
| 2-methylisothiazol-3(2H)-one | |
| Registration number (REACH) | --- |
| Index | 613-326-00-9 |
| EINECS, ELINCS, NLP, REACH-IT List-No. | 220-239-6 |
| CAS | 2682-20-4 |
| content % | 0,0015-<0,01 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Acute Tox. 3, H301 Acute Tox. 3, H311 Skin Corr. 1B, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1) |

| | |
|--|--|
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | |
| Registration number (REACH) | --- |
| Index | 613-167-00-5 |
| EINECS, ELINCS, NLP, REACH-IT List-No. | --- |
| CAS | 55965-84-9 |
| content % | 0,00015-<0,0015 |
| Classification according to Regulation (EC) 1272/2008 (CLP), M-factors | Acute Tox. 3, H301 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) Eye Dam. 1, H318 Skin Corr. 1C, H314 Skin Sens. 1A, H317 Acute Tox. 2, H310 Acute Tox. 2, H330 |

Impurities, test data and additional information may have been taken into account in classifying and labelling the product.
For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.
The substances named in this section are given with their actual, appropriate classification!

Page 4 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 20.04.2021 / 0026
Replacing version dated / version: 01.04.2021 / 0025
Valid from: 20.04.2021
PDF print date: 20.04.2021
Windshield super-concentrated cleaner

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!
Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.
Wash thoroughly for several minutes using copious water - call doctor immediately, have Data Sheet available.
Protect uninjured eye.
Follow-up examination by an ophthalmologist.

Ingestion

Rinse the mouth thoroughly with water.
Do not induce vomiting - give copious water to drink. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.
In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

The product does not burn.
Adapt to the nature and extent of fire.

Unsuitable extinguishing media

None known

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop:
Oxides of carbon
Oxides of sulphur
Oxides of nitrogen
Toxic gases

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes.
Protective respirator with independent air supply.
According to size of fire
Full protection, if necessary.
Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air.
Avoid contact with eyes or skin.
If applicable, caution - risk of slipping.

6.2 Environmental precautions

If leakage occurs, dam up.
Resolve leaks if this possible without risk.

Page 5 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 20.04.2021 / 0026
Replacing version dated / version: 01.04.2021 / 0025
Valid from: 20.04.2021
PDF print date: 20.04.2021
Windshield super-concentrated cleaner

Prevent surface and ground-water infiltration, as well as ground penetration.
Prevent from entering drainage system.
If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.
Diluting with water is possible.
Flush residue using copious water.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.
Avoid aerosol formation.
Avoid contact with eyes or skin.
Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.
Observe directions on label and instructions for use.
Use working methods according to operating instructions.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.
Wash hands before breaks and at end of work.
Keep away from food, drink and animal feedingstuffs.
Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorised individuals.
Store product closed and only in original packing.
Not to be stored in gangways or stair wells.
Store at room temperature.
Protect from frost.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Alcohols, C12-14, ethoxylated, sulfates, sodium salts | | | | | | |
|---|---|------------------|------------|-------|------------------|------|
| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
| | Environment - freshwater | | PNEC | 0,24 | mg/l | |
| | Environment - periodic release | | PNEC | 0,13 | mg/l | |
| | Environment - marine | | PNEC | 0,024 | mg/l | |
| | Environment - sediment, freshwater | | PNEC | 5,45 | mg/kg dry weight | |
| | Environment - sediment, marine | | PNEC | 0,545 | mg/kg dry weight | |
| | Environment - sewage treatment plant | | PNEC | 10000 | mg/l | |
| | Environment - soil | | PNEC | 0,946 | mg/kg dry weight | |
| | Environment - sporadic (intermittent) release | | PNEC | 0,071 | mg/l | |

Page 6 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 20.04.2021 / 0026
Replacing version dated / version: 01.04.2021 / 0025
Valid from: 20.04.2021
PDF print date: 20.04.2021
Windshield super-concentrated cleaner

| | | | | | | |
|---------------------|------------------------------------|-----------------------------|------|-------|--------------|--|
| | Environment - sediment, freshwater | Short term | PNEC | 0,917 | mg/kg | |
| | Environment - sediment, marine | Short term | PNEC | 0,092 | mg/kg | |
| | Environment - soil | Short term | PNEC | 7,5 | mg/kg | |
| Consumer | Human - dermal | Long term, local effects | DNEL | 0,079 | mg/cm2 | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 15 | mg/kg bw/day | |
| Consumer | Human - dermal | Long term, systemic effects | DNEL | 1650 | mg/kg bw/day | |
| Consumer | Human - inhalation | Long term, systemic effects | DNEL | 52 | mg/m3 | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 2750 | mg/kg bw/day | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 175 | mg/m3 | |
| Workers / employees | Human - dermal | Long term, local effects | DNEL | 0,132 | mg/cm2 | |

Sulfonic acids, C14-17-sec-alkane, sodium salts

| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
|---------------------|--|-----------------------------|------------|-------|------------|------|
| | Environment - freshwater | | PNEC | 0,04 | mg/l | |
| | Environment - marine | | PNEC | 0,004 | mg/l | |
| | Environment - water, sporadic (intermittent) release | | PNEC | 0,06 | mg/l | |
| | Environment - sediment, freshwater | | PNEC | 9,4 | mg/kg dw | |
| | Environment - sediment, marine | | PNEC | 0,94 | mg/kg dw | |
| | Environment - soil | | PNEC | 9,4 | mg/kg dw | |
| | Environment - sewage treatment plant | | PNEC | 600 | mg/l | |
| | Environment - oral (animal feed) | | PNEC | 53,3 | mg/kg feed | |
| | Environment - periodic release | | DNEL | 0 | mg/kg | |
| Consumer | Human - dermal | Long term, systemic effects | DNEL | 3,57 | mg/kg bw/d | |
| Consumer | Human - inhalation | Long term, systemic effects | DNEL | 12,4 | mg/m3 | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 7,1 | mg/kg bw/d | |
| Consumer | Human - dermal | Short term, local effects | DNEL | 2,8 | mg/cm2 | |
| Consumer | Human - dermal | Long term, local effects | DNEL | 2,8 | mg/cm2 | |
| Workers / employees | Human - dermal | Short term, local effects | DNEL | 2,8 | mg/cm2 | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 5 | mg/kg bw/d | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 35 | mg/m3 | |
| Workers / employees | Human - dermal | Long term, local effects | DNEL | 2,8 | mg/cm2 | |

Docusate sodium

| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
|---------------------|--|------------------|------------|-------|------|------|
| | Environment - freshwater | | PNEC | 0,18 | mg/l | |
| | Environment - marine | | PNEC | 0,018 | mg/l | |

Page 7 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 20.04.2021 / 0026
Replacing version dated / version: 01.04.2021 / 0025
Valid from: 20.04.2021
PDF print date: 20.04.2021
Windshield super-concentrated cleaner

| | | | | | | |
|---------------------|--|-----------------------------|------|--------|------------------|--|
| | Environment - water, sporadic (intermittent) release | | PNEC | 0,066 | mg/l | |
| | Environment - sewage treatment plant | | PNEC | 12,2 | mg/l | |
| | Environment - sediment, freshwater | | PNEC | 17789 | mg/kg dry weight | |
| | Environment - sediment, marine | | PNEC | 1,7789 | mg/kg dry weight | |
| | Environment - soil | | PNEC | 1,04 | mg/kg dw | |
| Consumer | Human - dermal | Long term, systemic effects | DNEL | 18,8 | mg/kg bw/day | |
| Consumer | Human - inhalation | Long term, systemic effects | DNEL | 13 | mg/m3 | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 18,8 | mg/kg bw/day | |
| Workers / employees | Human - dermal | Long term, systemic effects | DNEL | 31,3 | mg/kg bw/day | |
| Workers / employees | Human - inhalation | Long term, systemic effects | DNEL | 44,1 | mg/m3 | |

| 2-methylisothiazol-3(2H)-one | | | | | | |
|------------------------------|--|------------------------------|------------|--------|-----------------------|------|
| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
| | Environment - freshwater | | PNEC | 3,39 | µg/l | |
| | Environment - marine | | PNEC | 3,39 | µg/l | |
| | Environment - water, sporadic (intermittent) release | | PNEC | 3,39 | µg/l | |
| | Environment - sewage treatment plant | | PNEC | 0,23 | mg/l | |
| | Environment - soil | | PNEC | 0,0471 | mg/kg | |
| Consumer | Human - inhalation | Long term, local effects | DNEL | 0,021 | mg/m3 | |
| Consumer | Human - inhalation | Short term, local effects | DNEL | 0,043 | mg/m3 | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 0,027 | mg/kg body weight/day | |
| Consumer | Human - oral | Short term, systemic effects | DNEL | 0,053 | mg/kg body weight/day | |
| Workers / employees | Human - inhalation | Long term, local effects | DNEL | 0,021 | mg/m3 | |
| Workers / employees | Human - inhalation | Short term, local effects | DNEL | 0,043 | mg/m3 | |

| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | | | | | | |
|---|--|------------------|------------|---------|----------|------|
| Area of application | Exposure route / Environmental compartment | Effect on health | Descriptor | Value | Unit | Note |
| | Environment - freshwater | | PNEC | 0,00339 | mg/l | |
| | Environment - marine | | PNEC | 0,00339 | mg/l | |
| | Environment - sediment, freshwater | | PNEC | 0,027 | mg/kg dw | |
| | Environment - sediment, marine | | PNEC | 0,027 | mg/kg dw | |
| | Environment - soil | | PNEC | 0,01 | mg/kg dw | |
| | Environment - sewage treatment plant | | PNEC | 0,23 | mg/l | |
| | Environment - water, sporadic (intermittent) release | | PNEC | 0,00339 | mg/l | |

Page 8 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 20.04.2021 / 0026
Replacing version dated / version: 01.04.2021 / 0025
Valid from: 20.04.2021
PDF print date: 20.04.2021
Windshield super-concentrated cleaner

| | | | | | | |
|---------------------|--------------------|-----------------------------|------|------|------------|--|
| Consumer | Human - inhalation | Long term, local effects | DNEL | 0,02 | mg/m3 | |
| Consumer | Human - inhalation | Short term, local effects | DNEL | 0,04 | mg/m3 | |
| Consumer | Human - oral | Long term, systemic effects | DNEL | 0,09 | mg/kg bw/d | |
| Workers / employees | Human - inhalation | Long term, local effects | DNEL | 0,02 | mg/m3 | |
| Workers / employees | Human - inhalation | Short term, local effects | DNEL | 0,04 | mg/m3 | |

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.
If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.
Applies only if maximum permissible exposure values are listed here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.
Wash hands before breaks and at end of work.
Keep away from food, drink and animal feedingstuffs.
Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:
Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:
Chemical resistant protective gloves (EN 374).
Recommended
Protective nitrile gloves (EN 374).
Minimum layer thickness in mm:
 $\geq 0,5$
Permeation time (penetration time) in minutes:
 ≥ 480
The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions.
The recommended maximum wearing time is 50% of breakthrough time.
Protective hand cream recommended.

Skin protection - Other:
Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection:
Normally not necessary.

Thermal hazards:
Not applicable

Additional information on hand protection - No tests have been performed.
In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.
Selection of materials derived from glove manufacturer's indications.
Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.
Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.
In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.
The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Liquid
Colour: Yellow

Page 9 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 20.04.2021 / 0026
Replacing version dated / version: 01.04.2021 / 0025
Valid from: 20.04.2021
PDF print date: 20.04.2021
Windshield super-concentrated cleaner

| | |
|--|---|
| Odour: | Characteristic, Fruity |
| Odour threshold: | Not determined |
| pH-value: | 7,7 (20°C, DIN 19268) |
| Melting point/freezing point: | Not determined |
| Initial boiling point and boiling range: | ~100 °C |
| Flash point: | >65 °C |
| Evaporation rate: | Not determined |
| Flammability (solid, gas): | n.a. |
| Lower explosive limit: | Not determined |
| Upper explosive limit: | Not determined |
| Vapour pressure: | 23 hPa (20°C) |
| Vapour density (air = 1): | Not determined |
| Density: | 1,032 g/cm ³ (20°C, DIN 51757) |
| Bulk density: | n.a. |
| Solubility(ies): | Not determined |
| Water solubility: | Mixable |
| Partition coefficient (n-octanol/water): | Not determined |
| Auto-ignition temperature: | No |
| Decomposition temperature: | Not determined |
| Viscosity: | Not determined |
| Explosive properties: | Product is not explosive. |
| Oxidising properties: | No |

9.2 Other information

| | |
|---------------------------|----------------|
| Miscibility: | Not determined |
| Fat solubility / solvent: | Not determined |
| Conductivity: | Not determined |
| Surface tension: | Not determined |
| Solvents content: | Not determined |

SECTION 10: Stability and reactivity

10.1 Reactivity

The product has not been tested.

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known.

10.4 Conditions to avoid

None known

10.5 Incompatible materials

Avoid contact with strong oxidizing agents.

10.6 Hazardous decomposition products

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Possibly more information on health effects, see Section 2.1 (classification).

| Windshield super-concentrated cleaner | | | | | | |
|---------------------------------------|----------|-------|------|----------|-------------|--------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | | | | | | n.d.a. |
| Acute toxicity, by dermal route: | | | | | | n.d.a. |
| Acute toxicity, by inhalation: | | | | | | n.d.a. |
| Skin corrosion/irritation: | | | | | | n.d.a. |
| Serious eye damage/irritation: | | | | | | n.d.a. |
| Respiratory or skin sensitisation: | | | | | | n.d.a. |
| Germ cell mutagenicity: | | | | | | n.d.a. |
| Carcinogenicity: | | | | | | n.d.a. |
| Reproductive toxicity: | | | | | | n.d.a. |

Page 10 of 20
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 20.04.2021 / 0026
 Replacing version dated / version: 01.04.2021 / 0025
 Valid from: 20.04.2021
 PDF print date: 20.04.2021
 Windshield super-concentrated cleaner

| | | | | | | |
|---|--|--|--|--|--|--------|
| Specific target organ toxicity - single exposure (STOT-SE): | | | | | | n.d.a. |
| Specific target organ toxicity - repeated exposure (STOT-RE): | | | | | | n.d.a. |
| Aspiration hazard: | | | | | | n.d.a. |
| Symptoms: | | | | | | n.d.a. |

| Alcohols, C12-14, ethoxylated, sulfates, sodium salts | | | | | | |
|---|----------|-------|-------|------------|--|------------------------------------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | 4100 | mg/kg | Rat | OECD 401 (Acute Oral Toxicity) | |
| Acute toxicity, by dermal route: | LD50 | >2000 | mg/kg | Rat | OECD 402 (Acute Dermal Toxicity) | |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Skin Irrit. 2 |
| Serious eye damage/irritation: | | >=10 | % | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Eye Dam. 1 |
| Serious eye damage/irritation: | | >=5 | % | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Eye Irrit. 2 |
| Respiratory or skin sensitisation: | | | | Guinea pig | OECD 406 (Skin Sensitisation) | Not sensitising |
| Germ cell mutagenicity: | | | | | OECD 471 (Bacterial Reverse Mutation Test) | Negative |
| Germ cell mutagenicity: | | | | | OECD 475 (Mammalian Bone Marrow Chromosome Aberration Test) | Negative |
| Germ cell mutagenicity: | | | | | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) | Negative |
| Reproductive toxicity: | NOAEL | >1000 | mg/kg | Rat | OECD 414 (Prenatal Developmental Toxicity Study) | Negative, References |
| Reproductive toxicity: | NOAEL | >300 | mg/kg | Rat | OECD 416 (Two-generation Reproduction Toxicity Study) | Negative, References |
| Aspiration hazard: | | | | | | No |
| Symptoms: | | | | | | mucous membrane irritation |
| Specific target organ toxicity - repeated exposure (STOT-RE), oral: | NOAEL | >225 | mg/kg | Rat | OECD 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) | Target organ(s): liver, References |

| Sulfonic acids, C14-17-sec-alkane, sodium salts | | | | | | |
|---|----------|-----------|-------|------------|--|-----------------------------------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | >500-2000 | mg/kg | Rat | OECD 401 (Acute Oral Toxicity) | |
| Acute toxicity, by dermal route: | LD50 | >2000 | mg/kg | Mouse | | Analogous conclusion |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Skin Irrit. 2 |
| Serious eye damage/irritation: | | >15 | % | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Eye Dam. 1 |
| Serious eye damage/irritation: | | >10 | % | | | Eye Irrit. 2 |
| Respiratory or skin sensitisation: | | | | Guinea pig | OECD 406 (Skin Sensitisation) | No (skin contact) |
| Germ cell mutagenicity: | | | | | | No indications of such an effect. |

Page 11 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 20.04.2021 / 0026
Replacing version dated / version: 01.04.2021 / 0025
Valid from: 20.04.2021
PDF print date: 20.04.2021
Windshield super-concentrated cleaner

| | | | | | | |
|------------------------|--|-----|-------|-----|--|-----------------------------------|
| Carcinogenicity: | | | | Rat | | No indications of such an effect. |
| Reproductive toxicity: | | 200 | mg/kg | Rat | | No indications of such an effect. |
| Aspiration hazard: | | | | | | No |

| Docusate sodium | | | | | | |
|---|----------|--------|-------|-------------|---|---------------------------------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | >3000 | mg/kg | Rat | OECD 401 (Acute Oral Toxicity) | |
| Acute toxicity, by dermal route: | LD50 | >10000 | mg/kg | Rabbit | OECD 402 (Acute Dermal Toxicity) | |
| Acute toxicity, by inhalation: | LC50 | 20 | mg/l | Rat | | |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Irritant |
| Serious eye damage/irritation: | | | | Rabbit | OECD 405 (Acute Eye Irritation/Corrosion) | Risk of serious damage to eyes. |
| Respiratory or skin sensitisation: | | | | Human being | (Patch-Test) | Not sensitising |
| Germ cell mutagenicity: | | | | | OECD 471 (Bacterial Reverse Mutation Test) | Negative |
| Germ cell mutagenicity: | | | | Mouse | OECD 476 (In Vitro Mammalian Cell Gene Mutation Test) | Negative |
| Reproductive toxicity: | | | | Rat | | Negative |
| Specific target organ toxicity - repeated exposure (STOT-RE): | NOAEL | 750 | mg/kg | Rat | | Negative |
| Symptoms: | | | | | | mucous membrane irritation |

| 1,2-benzisothiazol-3(2H)-one | | | | | | |
|------------------------------------|----------|-------|---------|------------|-------------------------------|--|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | 1193 | mg/kg | Rat | | |
| Acute toxicity, by dermal route: | LC50 | 4115 | mg/kg | Rat | | |
| Acute toxicity, by inhalation: | LC50 | 0,25 | mg/l/4h | Rat | | Aerosol, Does not conform with EU classification. |
| Skin corrosion/irritation: | | | | | | Skin Irrit. 2 |
| Serious eye damage/irritation: | | | | | | Eye Dam. 1 |
| Respiratory or skin sensitisation: | | | | Guinea pig | OECD 406 (Skin Sensitisation) | Skin Sens. 1 |
| Germ cell mutagenicity: | | | | | | Negative |
| Symptoms: | | | | | | vomiting, headaches, gastrointestinal disturbances, nausea |

| 2-methylisothiazol-3(2H)-one | | | | | | |
|----------------------------------|----------|-------|---------|----------|--|---------------------------------|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | 183 | mg/kg | Rat | | |
| Acute toxicity, by oral route: | LD50 | 120 | mg/kg | Rat | U.S. EPA Guideline OPPTS 870.1100 | Female |
| Acute toxicity, by dermal route: | LD50 | 242 | mg/kg | Rat | OECD 402 (Acute Dermal Toxicity) | |
| Acute toxicity, by inhalation: | LD50 | 0,11 | mg/l/4h | Rat | OECD 403 (Acute Inhalation Toxicity) | Aerosol |
| Skin corrosion/irritation: | | | | Rabbit | OECD 404 (Acute Dermal Irritation/Corrosion) | Corrosive |
| Serious eye damage/irritation: | | | | Rabbit | | Risk of serious damage to eyes. |

Page 12 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 20.04.2021 / 0026
Replacing version dated / version: 01.04.2021 / 0025
Valid from: 20.04.2021
PDF print date: 20.04.2021
Windshield super-concentrated cleaner

| | | | | | | |
|------------------------------------|--|--|--|--|--|---------------------------------|
| Serious eye damage/irritation: | | | | | | Risk of serious damage to eyes. |
| Respiratory or skin sensitisation: | | | | | | Sensitising (skin contact) |

| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | | | | | | |
|---|----------|-------|-------|------------|-------------------------------|--|
| Toxicity / effect | Endpoint | Value | Unit | Organism | Test method | Notes |
| Acute toxicity, by oral route: | LD50 | 53 | mg/kg | Rat | | |
| Acute toxicity, by dermal route: | LD50 | 660 | mg/kg | Rabbit | | |
| Skin corrosion/irritation: | | | | Rabbit | | Corrosive |
| Serious eye damage/irritation: | | | | Rabbit | | Corrosive |
| Respiratory or skin sensitisation: | | | | Guinea pig | OECD 406 (Skin Sensitisation) | Yes (skin contact) |
| Aspiration hazard: | | | | | | No |
| Symptoms: | | | | | | diarrhoea, mucous membrane irritation, watering eyes, eyes, reddened |

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

| Windshield super-concentrated cleaner | | | | | | | |
|--|----------|------|-------|------|----------|-------------|---|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to fish: | | | | | | | n.d.a. |
| 12.1. Toxicity to daphnia: | | | | | | | n.d.a. |
| 12.1. Toxicity to algae: | | | | | | | n.d.a. |
| 12.2. Persistence and degradability: | | | | | | | The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. |
| 12.3. Bioaccumulative potential: | | | | | | | n.d.a. |
| 12.4. Mobility in soil: | | | | | | | n.d.a. |
| 12.5. Results of PBT and vPvB assessment | | | | | | | n.d.a. |
| 12.6. Other adverse effects: | | | | | | | n.d.a. |

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Page 13 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 20.04.2021 / 0026
Replacing version dated / version: 01.04.2021 / 0025
Valid from: 20.04.2021
PDF print date: 20.04.2021
Windshield super-concentrated cleaner

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|--|-----------|------|-------|------|-------------------------|---|-----------------------|
| 12.1. Toxicity to fish: | LC50 | 96h | 7,1 | mg/l | Brachydanio rerio | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.1. Toxicity to fish: | NOEC/NOEL | 28d | 0,1 | mg/l | Oncorhynchus mykiss | OECD 204 (Fish, Prolonged Toxicity Test - 14-Day Study) | |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | 0,27 | mg/l | Daphnia magna | OECD 211 (Daphnia magna Reproduction Test) | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 7,2 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.1. Toxicity to algae: | NOEC/NOEL | 96h | 0,95 | mg/l | | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.1. Toxicity to algae: | EC50 | 72h | 27,7 | mg/l | Desmodesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.2. Persistence and degradability: | | 28d | 95 | % | | OECD 301 E (Ready Biodegradability - Modified OECD Screening Test) | Readily biodegradable |
| 12.2. Persistence and degradability: | | 28d | >70 | % | | OECD 301 A (Ready Biodegradability - DOC Die-Away Test) | Readily biodegradable |
| 12.2. Persistence and degradability: | DOC | 28d | 100 | % | activated sludge | Regulation (EC) 440/2008 C.4-C (DETERMINATION OF 'READY' BIODEGRADABILITY - CO ₂ EVOLUTION TEST) | Readily biodegradable |
| 12.3. Bioaccumulative potential: | BCF | | -1,38 | | | | Low |
| 12.4. Mobility in soil: | Koc | | 191 | | | | calculated value |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance |
| Toxicity to bacteria: | EC50 | 16h | >10 | g/l | Pseudomonas putida | DIN 38412 T.8 | |

Sulfonic acids, C14-17-sec-alkane, sodium salts

| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
|----------------------------|-----------|------|-------|------|---------------------|---|-------|
| 12.1. Toxicity to fish: | LC50 | 96h | 1 -10 | mg/l | Brachydanio rerio | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.1. Toxicity to fish: | NOEC/NOEL | 28d | 0,85 | mg/l | Oncorhynchus mykiss | OECD 204 (Fish, Prolonged Toxicity Test - 14-Day Study) | |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 22d | 0,36 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |

Page 14 of 20
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 20.04.2021 / 0026
 Replacing version dated / version: 01.04.2021 / 0025
 Valid from: 20.04.2021
 PDF print date: 20.04.2021
 Windshield super-concentrated cleaner

| | | | | | | | |
|--|-----------|-----|------|-------|-------------------------|--|--|
| 12.1. Toxicity to daphnia: | EC50 | 48h | 9,81 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.1. Toxicity to algae: | EC50 | 72h | >61 | mg/l | Scenedesmus subspicatus | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.2. Persistence and degradability: | | 34d | 96,2 | % | activated sludge | OECD 304 A (Inherent Biodegradability in Soil) | Readily biodegradable |
| 12.2. Persistence and degradability: | | 28d | 78 | % | activated sludge | OECD 301 B (Ready Biodegradability - Co2 Evolution Test) | Readily biodegradable |
| 12.2. Persistence and degradability: | | 28d | 89 | % | activated sludge | OECD 301 E (Ready Biodegradability - Modified OECD Screening Test) | Readily biodegradable |
| 12.3. Bioaccumulative potential: | | | | | | | Not accepted due to the log Pow - value. |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |
| Toxicity to bacteria: | NOEC/NOEL | 16h | 600 | mg/l | Pseudomonas putida | DIN 38412 T.8 | |
| Other organisms: | NOEC/NOEL | 56d | 470 | mg/kg | Eisenia foetida | OECD 222 (Earthworm Reproduction Test (Eisenia fetida/Eisenia andrei)) | |

| Docusate sodium | | | | | | | |
|--|----------|------|-------|------|-------------------------|--|-------------------------------------|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |
| 12.1. Toxicity to fish: | LC50 | 96h | 49 | mg/l | Brachydanio rerio | 84/449/EEC C.1 | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 10,3 | mg/l | Daphnia magna | 84/449/EEC C.2 | |
| 12.1. Toxicity to algae: | EC50 | 72h | 39,3 | mg/l | Scenedesmus subspicatus | 84/449/EEC C.3 | |
| 12.2. Persistence and degradability: | | 28d | 66,7 | % | | OECD 301 D (Ready Biodegradability - Closed Bottle Test) | Readily biodegradable |
| 12.2. Persistence and degradability: | | 28d | 91,2 | % | | OECD 310 (Ready Biodegradability - CO2 in sealed vessels (Headspace Test)) | Readily biodegradable |
| 12.3. Bioaccumulative potential: | BCF | | 3,78 | | | | No bioaccumulation. |
| Toxicity to bacteria: | | 16h | 164 | mg/l | Pseudomonas putida | DIN 38412 T.8 | |

| 1,2-benzisothiazol-3(2H)-one | | | | | | | |
|------------------------------|----------|------|-------|------|----------|-------------|-------|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |

Page 15 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 20.04.2021 / 0026
Replacing version dated / version: 01.04.2021 / 0025
Valid from: 20.04.2021
PDF print date: 20.04.2021
Windshield super-concentrated cleaner

| | | | | | | | |
|--------------------------------------|-----------|-----|-------|------|---------------------------------|--|-----------------------|
| 12.3. Bioaccumulative potential: | Log Pow | | 1,3 | | | | |
| 12.2. Persistence and degradability: | | | 90 | % | | OECD 302 B (Inherent Biodegradability - Zahn-Wellens/EMPA Test) | |
| 12.3. Bioaccumulative potential: | BCF | | 6,95 | | | OECD 305 (Bioconcentration - Flow-Through Fish Test) | |
| 12.3. Bioaccumulative potential: | | | 0,7 | | | OECD 117 (Partition Coefficient (n-octanol/water) - HPLC method) | |
| 12.1. Toxicity to algae: | EC50 | 72h | 0,11 | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.1. Toxicity to algae: | NOEC/NOEL | 72h | 0,027 | mg/l | Skeletonema costatum | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.1. Toxicity to fish: | LC50 | 96h | 2,18 | mg/l | Oncorhynchus mykiss | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 2,94 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.2. Persistence and degradability: | | | | | | OECD 301 B (Ready Biodegradability - Co2 Evolution Test) | Readily biodegradable |
| 12.2. Persistence and degradability: | DOC | | >70 | % | | OECD 303 A (Simulation Test - Aerobic Sewage Treatment - Activated Sludge Units) | |
| Toxicity to bacteria: | EC20 | 3h | 3,3 | mg/l | activated sludge | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) | |

| 2-methylisothiazol-3(2H)-one | | | | | | | |
|--------------------------------------|----------|------|-------|------|----------|--|---------------------------|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.2. Persistence and degradability: | | 28d | 0,32 | % | | OECD 301 B (Ready Biodegradability - Co2 Evolution Test) | Not readily biodegradable |
| 12.3. Bioaccumulative potential: | Log Kow | | -0,32 | | | OECD 117 (Partition Coefficient (n-octanol/water) - HPLC method) | |

Page 16 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 20.04.2021 / 0026
Replacing version dated / version: 01.04.2021 / 0025
Valid from: 20.04.2021
PDF print date: 20.04.2021
Windshield super-concentrated cleaner

| | | | | | | | |
|----------------------------|-----------|------|-------|------|---------------------------------|--|--|
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | 0,044 | mg/l | Daphnia magna | OECD 211 (Daphnia magna Reproduction Test) | |
| 12.1. Toxicity to fish: | NOEC/NOEL | 28d | 2,38 | mg/l | Pimephales promelas | OECD 210 (Fish, Early-Life Stage Toxicity Test) | |
| 12.1. Toxicity to fish: | LC50 | 96h | 4,77 | mg/l | Oncorhynchus mykiss | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 0,359 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisation Test) | |
| 12.1. Toxicity to algae: | NOEC/NOEL | 120h | 0,05 | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.1. Toxicity to algae: | EC50 | 72h | 0,445 | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test) | |

| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | | | | | | | |
|---|-----------|------|-------------|------|---------------------------------|--|--|
| Toxicity / effect | Endpoint | Time | Value | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to fish: | LC50 | 96h | 0,28 | mg/l | Lepomis macrochirus | | |
| 12.1. Toxicity to fish: | LC50 | 96h | 0,19-0,22 | mg/l | Oncorhynchus mykiss | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.1. Toxicity to fish: | NOEC/NOEL | 28d | 0,098 | mg/l | Oncorhynchus mykiss | OECD 210 (Fish, Early-Life Stage Toxicity Test) | |
| 12.1. Toxicity to daphnia: | NOEC/NOEL | 21d | 0,004 | mg/l | Daphnia magna | OECD 211 (Daphnia magna Reproduction Test) | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 0,16 | mg/l | Daphnia magna | | |
| 12.1. Toxicity to algae: | EC50 | 72h | 0,048 | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.1. Toxicity to algae: | NOEC/NOEL | 72h | 0,0012 | mg/l | Pseudokirchneriella subcapitata | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.2. Persistence and degradability: | | | >60 | % | activated sludge | OECD 301 D (Ready Biodegradability - Closed Bottle Test) | Does not conform with EU classification. |
| 12.3. Bioaccumulative potential: | BCF | | 3,6 | | | | calculated value |
| 12.3. Bioaccumulative potential: | Log Pow | | 0,401-0,486 | | | | Does not conform with EU classification. |
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substance, No vPvB substance |
| Toxicity to bacteria: | EC50 | 3h | 7,92 | mg/l | activated sludge | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) | |

SECTION 13: Disposal considerations

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

Revision date / version: 20.04.2021 / 0026

Replacing version dated / version: 01.04.2021 / 0025

Valid from: 20.04.2021

PDF print date: 20.04.2021

Windshield super-concentrated cleaner

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)

07 06 01 aqueous washing liquids and mother liquors

20 01 29 detergents containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. suitable incineration plant.

E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements

14.1. UN number: n.a.

Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a.

14.4. Packing group: n.a.

Classification code: n.a.

LQ: n.a.

14.5. Environmental hazards: Not applicable

Tunnel restriction code:

Transport by sea (IMDG-code)

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a.

14.4. Packing group: n.a.

Marine Pollutant: n.a.

14.5. Environmental hazards: Not applicable

Transport by air (IATA)

14.2. UN proper shipping name:

14.3. Transport hazard class(es): n.a.

14.4. Packing group: n.a.

14.5. Environmental hazards: Not applicable

14.6. Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing the protection of young people at work (national implementation of the Directive 94/33/EC)!

Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)!

Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC): 0,3 %

REGULATION (EC) No 648/2004

Page 18 of 20
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 20.04.2021 / 0026
 Replacing version dated / version: 01.04.2021 / 0025
 Valid from: 20.04.2021
 PDF print date: 20.04.2021
 Windshield super-concentrated cleaner

15 % or over but less than 30 %
 anionic surfactants
 perfumes
 BENZISOTHIAZOLINONE
 METHYLCHLOROISOTHIAZOLINONE/ METHYLISOTHIAZOLINONE
 METHYLISOTHIAZOLINONE

Treated goods as per Regulation (EU) No. 528/2012 must display specific information on the label.
 Please note Article 58 paragraph (3) subparagraph 2 of Regulation (EU) No. 528/2012.
 Approval of the biocidal active substance may mean that special conditions are required for marketing the treated goods.
 These are indicated in the approval of the active substance.
 National rules/regulation for the compliance with maximum quantities with regard to phosphates and or phosphorous compounds must be observed and complied with.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections: 2, 3, 8, 11, 12, 15
 These details refer to the product as it is delivered.
 Employee instruction/training in handling hazardous materials is required.

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

| Classification in accordance with regulation (EC) No. 1272/2008 (CLP) | Evaluation method used |
|---|--|
| Skin Irrit. 2, H315 | Classification according to calculation procedure. |
| Eye Dam. 1, H318 | Classification according to calculation procedure. |
| Skin Sens. 1, H317 | Classification according to calculation procedure. |

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

H330 Fatal if inhaled.
 H310 Fatal in contact with skin.
 H314 Causes severe skin burns and eye damage.
 H317 May cause an allergic skin reaction.
 H301 Toxic if swallowed.
 H302 Harmful if swallowed.
 H311 Toxic in contact with skin.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H400 Very toxic to aquatic life.
 H410 Very toxic to aquatic life with long lasting effects.
 H411 Toxic to aquatic life with long lasting effects.
 H412 Harmful to aquatic life with long lasting effects.

Skin Irrit. — Skin irritation
 Eye Dam. — Serious eye damage
 Skin Sens. — Skin sensitization
 Aquatic Chronic — Hazardous to the aquatic environment - chronic
 Acute Tox. — Acute toxicity - oral
 Aquatic Acute — Hazardous to the aquatic environment - acute
 Acute Tox. — Acute toxicity - dermal
 Skin Corr. — Skin corrosion
 Acute Tox. — Acute toxicity - inhalation

Any abbreviations and acronyms used in this document:

Page 19 of 20
 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
 Revision date / version: 20.04.2021 / 0026
 Replacing version dated / version: 01.04.2021 / 0025
 Valid from: 20.04.2021
 PDF print date: 20.04.2021
 Windshield super-concentrated cleaner

acc., acc. to according, according to
 ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road)
 AOX Adsorbable organic halogen compounds
 approx. approximately
 Art., Art. no. Article number
 ASTM ASTM International (American Society for Testing and Materials)
 ATE Acute Toxicity Estimate
 BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)
 BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany)
 BSEF The International Bromine Council
 bw body weight
 CAS Chemical Abstracts Service
 CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)
 CMR carcinogenic, mutagenic, reproductive toxic
 DMEL Derived Minimum Effect Level
 DNEL Derived No Effect Level
 dw dry weight
 e.g. for example (abbreviation of Latin 'exempli gratia'), for instance
 EC European Community
 ECHA European Chemicals Agency
 EEC European Economic Community
 EINECS European Inventory of Existing Commercial Chemical Substances
 ELINCS European List of Notified Chemical Substances
 EN European Norms
 EPA United States Environmental Protection Agency (United States of America)
 etc. et cetera
 EU European Union
 EVAL Ethylene-vinyl alcohol copolymer
 Fax. Fax number
 gen. general
 GHS Globally Harmonized System of Classification and Labelling of Chemicals
 GWP Global warming potential
 IARC International Agency for Research on Cancer
 IATA International Air Transport Association
 IBC (Code) International Bulk Chemical (Code)
 IMDG-code International Maritime Code for Dangerous Goods
 incl. including, inclusive
 IUCLID International Uniform Chemical Information Database
 IUPAC International Union for Pure Applied Chemistry
 LC50 Lethal Concentration to 50 % of a test population
 LD50 Lethal Dose to 50% of a test population (Median Lethal Dose)
 LQ Limited Quantities
 MARPOL International Convention for the Prevention of Marine Pollution from Ships
 n.a. not applicable
 n.av. not available
 n.c. not checked
 n.d.a. no data available
 OECD Organisation for Economic Co-operation and Development
 org. organic
 PBT persistent, bioaccumulative and toxic
 PE Polyethylene
 PNEC Predicted No Effect Concentration
 ppm parts per million
 PVC Polyvinylchloride
 REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)
 REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.
 RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)
 SVHC Substances of Very High Concern

Page 20 of 20
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 20.04.2021 / 0026
Replacing version dated / version: 01.04.2021 / 0025
Valid from: 20.04.2021
PDF print date: 20.04.2021
Windshield super-concentrated cleaner

Tel. Telephone
UN RTDG United Nations Recommendations on the Transport of Dangerous Goods
VOC Volatile organic compounds
vPvB very persistent and very bioaccumulative
wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.